

LED wall washer light






1A



Features



- Reinforced aluminum alloy lamp body, die cast aluminum end cover; smooth surface self-cleaning, beautiful appearance, solid structure;
- Integral heat dissipation structure, the heat can be effectively transferred to the external heat dissipation;
- Plug type waterproof structure, waterproof lasting effective, up to Ip66;
- The bottom of the groove, hidden lines, the overall appearance;
- Equipped with a small narrow angle light, the maximum height of up to 12 meters;
- Isolated wire feeding structure, which can effectively prevent the cable from water vapor;
- The design of power supply and signal protection against surge lightning ESD reverse circuit protection; up to 4KV.



Horizontal And Vertical Mounting Bracket

# 1A Li-LINE

LED wall washer light



## 1A-009

DC 24V  
3000/4000K

| LED Quantity | Optical Angle                   | Net Weight | Rated Power | Luminous Flux     | Lamp Size   | Gross Weight/Packing Size  |
|--------------|---------------------------------|------------|-------------|-------------------|-------------|--|
| 9 pcs        | 7°/25°/40°/60°/<br>8×35°/10×50° | 1.1 kg     | 9W<br>18W   | 910 lm<br>1655 lm | 500×40×50mm | 1.4kg/550×110×130mm(1pcs/box)<br>14.6kg/605×455×240mm(12pcs/box) |

## 1A-012

DC 24V  
3000/4000K/RGB

| LED Quantity | Optical Angle                   | Net Weight | Rated Power | Luminous Flux      | Lamp Size   | Gross Weight/Packing Size  |
|--------------|---------------------------------|------------|-------------|--------------------|-------------|--|
| 12 pcs       | 7°/25°/40°/60°/<br>8×35°/10×50° | 1.1 kg     | 12W<br>24W  | 1205 lm<br>2183 lm | 500×40×50mm | 1.4kg/550×110×130mm(1pcs/box)<br>14.6kg/605×455×240mm(12pcs/box) |

## 1A-018

DC 24V  
3000/4000K/RGB

| LED Quantity | Optical Angle                   | Net Weight | Rated Power | Luminous Flux      | Lamp Size    | Gross Weight/Packing Size  |
|--------------|---------------------------------|------------|-------------|--------------------|--------------|--|
| 18 pcs       | 7°/25°/40°/60°/<br>8×35°/10×50° | 2.1 kg     | 18W<br>36W  | 1802 lm<br>3257 lm | 1000×40×50mm | 2.5kg/550×1060×130mm(1pcs/box)<br>26.7kg/1100×455×240mm(12pcs/box) |

## 1A-024

DC 24V  
3000/4000K/RGB

| LED Quantity | Optical Angle                   | Net Weight | Rated Power | Luminous Flux      | Lamp Size    | Gross Weight/Packing Size  |
|--------------|---------------------------------|------------|-------------|--------------------|--------------|--|
| 24 pcs       | 7°/25°/40°/60°/<br>8×35°/10×50° | 2.1 kg     | 24W<br>48W  | 2408 lm<br>4343 lm | 1000×40×50mm | 2.5kg/550×1060×130mm(1pcs/box)<br>26.7kg/1100×455×240mm(12pcs/box) |